

Customer:

Sample ID:

Laboratory Number:



Extraction Technician:

Analytical Chemist:

Hernan Prieto



CANNABINOID PROFILE

Extraction Date(s)

Analysis Date(s)

Cannabinoids (HPLC)

Results

Cannabinoid (%)

| Cannabinoids (HPLC) | Results | Cannabinoid (%) |
|---|---------|-----------------|
| Cannabidivarin (CBDV) | | |
| Cannabidiolic Acid (CBD-A) | | |
| Cannabigerolic Acid (CBG-A) | | |
| Cannabigerol (CBG) | | |
| Cannabidiol (CBD) | | |
| Tetrahydrocannabivarin (THCV) | | |
| Cannabinol (CBN) | | |
| delta 9-Tetrahydrocannabinol (THC) | | |
| delta 8-Tetrahydrocannabidol | | |
| Cannabichromene (CBC) | | |
| delta-9-Tetrahydrocannabinolic Acid (THC-A) | | |

Cannabinoids Total

| | |
|-----------------------|--|
| Max Active THC | |
| Max Active CBD | |
| T.Active Cannabinoids | |
| Total Cannabinoids | |

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced.



CERTIFICATE OF ANALYSIS



IDENTIFICATION:

PRODUCT NAME: Green Crack

PRODUCT DESIGNATION: Proprietary Terpene Blend - Terpene Strain Profile

TT PRODUCT #: TTP-PN-GRC

LOT #: T106408

INTENDED FOR USE BY: May 2022

CAS #: Mixture

EC #: Mixture

| PARAMETER: | SPECIFICATION: | RESULT: |
|--------------------|----------------------------|----------------------------|
| APPEARANCE: | Clear, Light Yellow Liquid | Clear, Light Yellow Liquid |
| ODOR: | Wood, Earth, Spice | Wood, Earth, Spice |

Additional Product Information:

Storage Conditions: Stable when stored in its original container securely tightened and away from heat, open flames, sunlight, combustible materials and hot surfaces. Store in a cool, dry, and well-ventilated place.

TRACE CONTAMINANT LEVELS:

Test Type: Heavy Metals

| Contaminant Name | Max. Allowed (ppm) | Test Result | Contaminant Name | Max. Allowed (ppm) | Test Result |
|------------------|--------------------|-------------|------------------|--------------------|-------------|
| Arsenic | 0.2 | PASSED | Cadmium | 0.2 | PASSED |
| Lead | 0.5 | PASSED | Mercury | 0.1 | PASSED |

Test Type: Pesticide

| Contaminant Name | Max. Allowed (ppm) | Test Result | Contaminant Name | Max. Allowed (ppm) | Test Result |
|------------------|--------------------|-------------|------------------|--------------------|-------------|
| Abamectin | 0.07 | PASSED | Acephate | 0.1 | PASSED |
| Acequinocyl | 0.1 | PASSED | Acetamiprid | 0.1 | PASSED |
| Aldicarb | 0.4 | PASSED | Azoxystrobin | 0.02 | PASSED |
| Bifenazate | 0.02 | PASSED | Bifenthrin | 0.1 | PASSED |
| Boscalid | 0.1 | PASSED | Captan | 0.7 | PASSED |

CERTIFICATE OF ANALYSIS



Test Type: Pesticide

| Contaminant Name | Max. Allowed (ppm) | Test Result | Contaminant Name | Max. Allowed (ppm) | Test Result |
|---------------------|--------------------|-------------|-------------------------|--------------------|-------------|
| Carbaryl | 0.2 | PASSED | Carbofuran | 0.2 | PASSED |
| Chlorantraniliprole | 0.2 | PASSED | Chlordane | 0.1 | PASSED |
| Chlorfenapyr | 0.2 | PASSED | Chlorpyrifos | 0.2 | PASSED |
| Clofentezine | 0.1 | PASSED | Coumaphos | 0.1 | PASSED |
| Cyfluthrin | 1 | PASSED | Cypermethrin | 1 | PASSED |
| Daminozide | 0.10 | PASSED | DDVP (Dichlorvos) | 0.1 | PASSED |
| Diazinon | 0.1 | PASSED | Dimethoate | 0.2 | PASSED |
| Dimethomorph | 2 | PASSED | Ethoprophos | 0.2 | PASSED |
| Etofenprox | 0.4 | PASSED | Etoxazole | 0.1 | PASSED |
| Fenhexamid | 0.1 | PASSED | Fenoxycarb | 0.2 | PASSED |
| Fenpyroximate | 0.1 | PASSED | Fipronil | 0.4 | PASSED |
| Flonicamid | 0.1 | PASSED | Fludioxonil | 0.1 | PASSED |
| Hexythiazox | 0.1 | PASSED | Imazalil | 0.10 | PASSED |
| Imidacloprid | 0.02 | PASSED | Kresoxim-methyl | 0.1 | PASSED |
| Malathion | 0.2 | PASSED | Metalaxyl | 0.2 | PASSED |
| Methiocarb | 0.2 | PASSED | Methomyl | 0.4 | PASSED |
| Methyl-Parathion | 0.2 | PASSED | Mevinphos | 0.1 | PASSED |
| MGK-264 | 0.2 | PASSED | Myclobutanil | 0.04 | PASSED |
| Naled | 0.2 | PASSED | Oxamyl | 0.5 | PASSED |
| Paclobutrazol | 0.10 | PASSED | Pentachloronitrobenzene | 0.1 | PASSED |
| Permethrins | 0.04 | PASSED | Phosmet | 0.1 | PASSED |
| Piperonyl Butoxide | 2 | PASSED | Prallethrin | 0.1 | PASSED |
| Propiconazole | 0.1 | PASSED | Propoxur | 0.2 | PASSED |
| Pyrethrins | 0.5 | PASSED | Pyridaben | 0.1 | PASSED |
| Spinetoram | 0.1 | PASSED | Spinosad | 0.06 | PASSED |
| Spiromesifen | 0.03 | PASSED | Spirotetramat | 0.02 | PASSED |
| Spiroxamine | 0.4 | PASSED | Tebuconazole | 0.01 | PASSED |
| Thiacloprid | 0.2 | PASSED | Thiamethoxam | 0.2 | PASSED |
| Trifloxystrobin | 0.1 | PASSED | | | |

CERTIFICATE OF ANALYSIS



Test Type: Residual Solvent

| Contaminant Name | Max. Allowed (ppm) | Test Result | Contaminant Name | Max. Allowed (ppm) | Test Result |
|-----------------------------|--------------------|-------------|-----------------------|--------------------|-------------|
| 1,2-Dichloroethane | 1.0 | PASSED | 1,4-Dioxane | 380 | PASSED |
| 1-Butanol | 5000 | PASSED | 1-Pentanol | 5000 | PASSED |
| 1-Propanol | 5000 | PASSED | 2,2-Dimethylbutane | 50 | PASSED |
| 2,3-Dimethylbutane | 50 | PASSED | 2-Butanol | 5000 | PASSED |
| 2-Butanone | 5000 | PASSED | 2-Ethoxyethanol | 160 | PASSED |
| 2-Methylbutane | 750 | PASSED | 2-Methylpentane | 50 | PASSED |
| 2-Methylpropane (Isobutane) | 800 | PASSED | 2-Propanol (IPA) | 500 | PASSED |
| 3-Methylpentane | 50 | PASSED | Acetone | 750 | PASSED |
| Acetonitrile | 60 | PASSED | Benzene | 1.0 | PASSED |
| Butane | 500 | PASSED | Chloroform | 1.0 | PASSED |
| Cumene (Isopropyl Benzene) | 70 | PASSED | Cyclohexane | 3880 | PASSED |
| Dimethyl Sulfoxide (DMSO) | 5000 | PASSED | Ethanol | 1000 | PASSED |
| Ethyl Acetate | 400 | PASSED | Ethyl Ether | 500 | PASSED |
| Ethylbenzene | 150 | PASSED | Ethylene Glycol | 620 | PASSED |
| Ethylene Oxide | 1.0 | PASSED | Heptane | 500 | PASSED |
| Isopropyl Acetate | 60 | PASSED | m-Xylene and p-Xylene | 150 | PASSED |
| Methanol | 250 | PASSED | Methylene Chloride | 1.0 | PASSED |
| N,N-Dimethylacetamide | 880 | PASSED | N,N-Dimethylformamide | 880 | PASSED |
| n-Hexane | 50 | PASSED | Naphtha | 400 | PASSED |
| Neopentane | 750 | PASSED | o-Xylene | 150 | PASSED |
| Pentane | 750 | PASSED | Petroleum Ether | 400 | PASSED |
| Propane | 500 | PASSED | Pyridine | 200 | PASSED |
| Tetrahydrofuran | 720 | PASSED | Toluene | 150 | PASSED |
| Total Residual Solvents | 5000 | PASSED | Trichloroethylene | 1.0 | PASSED |
| Xylenes | 150 | PASSED | | | |

Branston Mefferd
Quality Control

Disclaimer: This Certificate of Analysis may contain results provided by contract laboratories external to True Terpenes. This document does not relieve the purchaser from conducting their own tests in order to verify the suitability of this product for its application and to comply with all relevant legal requirements for any goods into which this product is incorporated. Botanically derived and/or synthetic compounds found in this product may contain trace compounds which can potentially result in a slight variance between lots. True Terpenes certifies that this product is not derived from cannabis nor does it contain any cannabinoids or other cannabis-derived extracts.